

## 高性能工业胶粘剂整体解决方案

Axson Technologies-

Axson Technologies

					ABS	PMMA	PVC	PC		(SMC, GRP, RTM)				
A130														
A135														
A145														
A161														
A140														
A170														
A175														
H9951														
A220														
A280														
A290														
A210														
A211														
A252														
A310NA														



- 
- 
- 
- 

耐老化性:



注意:

1                    25 C 100g

2

3                    ISO 4587-95

                      ISO 4578-95                    2017A

                      80 C    8                    48

4 1MPa

5                    : ISO 527-96

ADEKIT		ADEKI T		
		A130	A135	A145
(mins)		6	6	80
(mins)		10	10	85
25 C	1MPa	15 mins	15 mins	7h
25 C	50%	30 mins	30 mins	16h
	(MPa)	27	27	32
	(N/mm)	3	3	4
	%	3	3	25
		👍	👍	👍
		50 mL	50 mL	50& 400 mL
		6(0.5+0.5) kg	-	6(0.5+0.4) kg
		-	-	(5+4) kg
		-	-	-

- 
- 
- 
- 
- 



## A 3XX

ADEKIT	A290	A280	A310	A252	A220	A210	A211
(mins)	3	6	-	5(50g)	9	45	35
(mins)	3	10	15	8	16	60	40
25 C    1MPa	10 mins	45 mins	30 mins	1h	90 mins	5h	5h
25 C    50%	30 mins	3h	75 mins	3h30	4h	18h	16h
	15	10	16	7	8	6	10
	9	10	5	9	12	5	9
	90	85	10	300	95	77	80
	👍👍👍	👍👍👍	👍👍👍	👍👍	👍👍👍	👍👍	👍👍
	400 mL	400 mL	50 & 400 mL	50 & 400 mL	50 & 400 mL	50 & 400 mL	50 mL
		(40+32) kg	(40+32) kg	-	(6.5+5) kg	-	-
	-	-	-	-	-	(27+42) kg	-

# 择 导 航

## ADEKI T (A1XX)

One-site application						
A161	A170	A140		A175	H9951	
23	23	30		70	50(50) g	
40	30	40		90	60-70 mins	
2h30	3h30	4h30		10h	6h30	
5h	19h	20h		20h30	20h	
22	24	21		21	29	
3	5	5		4	4	
3	5	2		5	10	
👍👍	👍👍👍	👍👍👍		👍👍👍	👍👍👍	
400mL	400 mL	400mL	50mL	50& 400 mL	400 mL	-
-	-	-	-	6(0.5+0.45) kg	(16+14)kg	6(0.5+0.31) kg
-	-	-	(5+4.5) kg	-	(5+4.5) kg	-
-	-	-	-	(40+36) kg	-	(25+15.5) kg



# 基材表面处理产品



ADEKIT T

6 x 0.794Kg

1Kg

1Kg

GRP SMC

6 x 1.314Kg

ABS, PVC, PC, PMMA

1Kg

1.

[www.axson.com](http://www.axson.com) & [www.axson.cn](http://www.axson.cn)

## 可选择包装和应用工具



针筒装ADEKIT产品的应用工具

ADEKIT 50ML

ADEKIT 400ML

ADEKIT400ML

1.

[www.axson.com](http://www.axson.com) & [www.axson.cn](http://www.axson.cn)

1KG 5KG



30L 220L



蔼科颂(上海)化工产品有限公司

AXSON TECHNOLOGIES (SHANGHAI) CO.,LTD.

中国上海浦东外高桥保税区泰谷路53号 邮编:200131

No.53.Taigu Road,WaiGaoQiao Free Trade Zone, Pudong Shanghai China

Tel:86-21-58683037 Fax:86-21-58682601

Web:[www.axson.cn](http://www.axson.cn) Email:[marketing@axson.cn](mailto:marketing@axson.cn)

[www.axson.cn](http://www.axson.cn)